



Combined Heat and Power Plant Modernisation

Data and facts

Company

Type Foundations

Runtime 02.2017 - 04.2017

Principal Stuttgart-Gaisburg combined heat and power plant

[Project report online](#)

www.porr-group.com



Modernisation methods at the Stuttgart-Gaisburg Combined Heat and Power Plant

Services:

527 FRANKIPILE NGR,

$d = 61 \text{ cm}$,

$N_k \leq 2,150 \text{ kN}$, $L \leq 8 \text{ m}$

32 FRANKIPILE NGR,

$d = 42 \text{ cm}$, $N_k \leq 550 \text{ kN}$

$L \leq 8 \text{ m}$

10 Steel tube piles,

$d = 41 \text{ cm}$, $N_k \leq 300 \text{ kN}$,

$L \leq 8 \text{ m}$

Impressions




Image notes

1

Modernisation methods at the Stuttgart-Gaisburg Combined Heat and Power Plant

The FRANKI pile driver in use.

2

Modernisation methods at the Stuttgart-Gaisburg Combined Heat and Power Plant

The concrete hopper is filled with shaft concrete.

Do you have questions about the project or would you like to learn more? Feel free to contact us for further information.

PORR AG Group Communications

Absberggasse 47

1100 Wien

T +43 50 626-0

E-Mail: comms@porr-group.com